



## Towards a Unified Interaction Framework for Ubicomp User Interfaces

Jason I. Hong (Berkeley)  
Scott Lederer (Berkeley)  
Mark W. Newman (PARC)

## Sketchpad - A Retrospective




# NLS - A Retrospective




Oct 01 2002

3

# Xerox Star - A Retrospective



## Development of WIMP



- WIMP is the familiar subset of GUI
  - Resulted from usability design principles
  - Consistent interaction framework empowered users
- Can we do the same for Ubicomp?
- Can we take anything from WIMP?

Oct 01 2002

5

## Ubiquitous User Interfaces (UUI)

- More input types
  - Natural modes (Speech and sketch), Sensors
- More output types
  - Small displays, aural, haptic, ambient
- Multimodal I/O across multiple devices
  - Combinations of these inputs and outputs
- Physical / Virtual spaces and objects

Oct 01 2002

6

## Are There Things We Can Take from WIMP?

- Windows -> **A**ggregation, managing tasks
- Icons -> **O**bjects, possible targets
- Menus -> **C**ommands, visual affordances
- Pointer -> **S**election, feedback on select



Oct 01 2002

7

## A Thought Experiment *Applying AOCs to UIs*

- Aggregations
  - Spaces, Tasks, Groups, Situations
- Objects
  - Physical objects, Virtual Objects
- Commands
  - Speech, gesture, menu selection
- Selectors
  - Holding things, Laser pointers, Pens, Pointing
  - Lots of potential ambiguity here

Oct 01 2002

8

## Open Questions

- Is it useful to apply AOCS to UIs?
  - More for explicit interaction, implicit too?
  - Accessibility? Distributed I/O?
  - What kinds of apps would it enable?
- How to implement AOCS for UIs?
  - Good design principles, ex. visibility, conceptual models, mappings, feedback
  - Mistakes of WIMP? Ex. Groupware
  - How to start? WIMP was monolithic and an entire package, niches we can start in?

Oct 01 2002

9